

HOW TO CHANGE A CODE NAME GLOBALLY IN TAMS ANALYZER

(CC) 2010 BY MATTHEW WEINSTEIN, SOME RIGHTS RESERVED



IN TAMS THIS
INVOLVES RECODING
YOUR DATA

TO CHANGE CODE1 TO
CODE2; SEARCH FOR
CODE1 AND RECODE IT
TO CODE2

STARTING WITH TA
4.30 JUST PICK
"CODING->RENAME
CODE", TO RENAME
CODES

1

test.rtf


```
{!name "test.rtf"}  
{code1}This is some text{/code1}
```

test2.rtf

```
{!name "test2.rtf"}  
{code1}this is different text{/code1}
```

HERE WE HAVE 2 FILES
EACH WITH ONE LINE
CODED WITH "CODE1".
WE WANT THEM BOTH
TO BE CODED CODE2.

2.






GO TO THE WORK BENCH, PICK THE SEARCH TAB.

DO A SIMPLE SEARCH FOR "CODE1" WITH THE EXACT FLAG CHECKED.

3.

YOU'LL GET A RESULTS WINDOW WITH ONE ROW FOR EACH INSTANCE OF "CODE1"





6-

tempResult 3476FBEB-768C-414C-8FC5-DFFF2E9D4658.xtrs

Existing code

Recode to: code1 OK

New code

Name: code2 OK

Color: Use inherited color

Definition:

FILL IN THE NEW CODE NAME; GIVE IT A DEFINITION (IF NEED BE)

AND HIT THIS "OK" BUTTON

Cancel

7-

tempResult 3476FBEB-768C-414C-8FC5-DFFF2E9D4658.xtrs

Tags? Find record Refresh Browse column Sort Select all Select... Compare data

0/0 | code1 0 300

YOUR SEARCH IS NOW BLANK BECAUSE IT WAS FOR CODE1; BUT THERE IS NO DATA WITH CODE1 ANYMORE!

8.

